



MATERIAL SAFETY DATA SHEET

Page 1 of 3

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION					
PRODUCT NAME: Test B		DATE: August 01, 2011			
PRODUCT NUMBER: 800-6072 (1006150)					
TRADE NAME: Test B – Confirming Test Order GENERAL USE: Acid CHEMICAL FAMILY: Nitric Acid PRODUCT DESCRIPTION: Clear, colorless liquid with acrid odor.					
MANUFACTURER Safariland LLC		DATE PREPARED: August 1, 2011			
		SUPERSEDES: September 26, 2008			
ADDRESS (NUMBER, STREET, P.O. BOX) 13386 International Parkway		TELEPHONE NUMBER FOR INFORMATION / Customer Service 800-347-1200			
(CITY, STATE AND ZIP CODE) Jacksonville, FL. 32218		COUNTRY USA			
		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER  1-800-255-3924 01-813-248-0585 North America Toll Free International			
SECTION 2 - HAZARDS IDENTIFICATION					
EMERGENCY OVERVIEW					
DANGER!!! Product is a poison, strong oxidizer, and a corrosive agent. Causes severe burns to skin, eyes, and respiratory tract. Potentially fatal if swallowed or inhaled. Inhalation may cause lung and tracheal damage. Ingestion may cause tooth, esophageal, and gastric damage. Contact with combustible materials may result in fire. USE CAUTION WITH PRODUCT!!!					
POTENTIAL HEALTH EFFECTS					
INHALATION:					
Serious irritant to the mucous membranes and respiratory tract, causing potentially severe or fatal burns due to pulmonary edema and/or pneumonia. Symptoms include coughing, choking, burning, sore throat, wheezing, and shortness of breath.					
SKIN:					
Corrosive substance - may cause severe burns, redness, and pain. Skin may turn yellow and slough off from contact with product. Deep ulcerations that may be slow to heal may develop. Wear personal protective equipment at all times.					
EYES:					
Both solution and vapors may cause burns, corneal ulcerations or conjunctivitis, leading to permanent eye damage.					
INGESTION:					
Severe, painful burns of the mouth, throat, esophagus, and stomach will result. Potentially fatal if swallowed. Damage is often irreversible.					
CARCINOGENICITY:					
NTP? NO		IARC MONOGRAPHS? NO		OSHA REGULATED? NO	
CALIFORNIA, Prop.65? NO					
SECTION 3 - HAZARDOUS INGREDIENTS					
Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Nitric Acid	NR	7697-37-2	231-714-2	O, C+	R8, R35
Notes:					
SECTION 4 - FIRST AID MEASURES					
Note - prompt, immediate first aid can greatly lessen the damage caused by this product.					
INHALATION:					
Remove victim to fresh air, providing oxygen or artificial respiration if needed. Seek emergency medical attention promptly.					
EYES:					
Flush with water for at least 15 minutes. Seek emergency medical help.					
SKIN:					
Remove contaminated clothing. Rinse with copious amounts of water, using a drench shower if needed. Get medical attention immediately.					
INGESTION:					
Induce vomiting, if patient is conscious. Give large quantities of water to drink and call a physician immediately.					
SECTION 5 - FIRE FIGHTING MEASURES					
GENERAL HAZARDS:					
No combustible. Substance is a powerful oxidizer; reactions with combustibles may result in fire. Reacts with metals to generate highly flammable Hydrogen gas.					
EXTINGUISHING MEDIA:					
Use water spray if needed to cool containers.					
FIRE FIGHTING PROCEDURES:					
Emergency responders should wear bunker gear and Self-Contained Breathing Apparatus (SCBA). Proper eye and skin protection should also be used. Water spray can be used to cool equipment and reduce vapors.					
UNUSUAL FIRE AND EXPLOSION HAZARDS:					
May react explosively with combustible organic products. Reacts with metals to generate flammable Hydrogen gas.					
HAZARDOUS COMBUSTION PRODUCTS:					
Nitrogen Oxides, Carbon Oxides.					





MATERIAL SAFETY DATA SHEET

Page 2 of 3

PRODUCT NAME: Test B		DATE: August 01, 2011	
PRODUCT NUMBER: 800-6072 (1006150)			
SECTION 6 - ACCIDENTAL RELEASE MEASURES			
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:			
Isolate, then ventilate area. Wear appropriate personal protective equipment, then carefully clean up spill by first containing spill, using dikes if needed. Neutralize with soda ash or lime, then absorb with sand, vermiculite. DO NOT USE SAWDUST TO ABSORB PRODUCT!!! DO NOT RINSE MATERIAL INTO SEWERS OR BODIES OF WATER!			
SECTION 7 - HANDLING AND STORAGE			
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:			
Store in labeled Acid Cabinet. Keep away from combustibles, metals, direct sunlight, and heat. Do not reuse containers. Always add the acid to water when making solutions; otherwise, uncontrolled boiling and splashing may occur.			
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION			
HAZARDOUS COMPONENTS	NIOSH		ACGIH
	TWA ppm	TWA mg/m3	TLV/TWA ppm
STEL ppm	STEL mg/m3	TWA mg/m3	STEL ppm
STEL mg/m3	PEL mg/m3		
Nitric Acid	2	5	4
	10	2	5
PERSONAL PROTECTION			
RESPIRATORY PROTECTION:			
A NIOSH/OSHA or EU vapor respirator is highly recommended for use with this product. Another option is a fume hood.			
PROTECTIVE GLOVES:			
Gloves are recommended for use of this product. Consult with glove manufacturer for appropriate glove material.			
EYE PROTECTION:			
Wear safety goggles as a matter of good laboratory practice while using product. A splash shield should be used while pouring.			
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:			
An acid-resistant apron or hazard suit is essential for safe handling of Nitric Acid.			
WORK / HYGIENIC PRACTICES:			
Do not smoke, eat, or drink while using this product. Immediately wash hands after use. Always wear the proper personal protective equipment and observe good laboratory practices.			
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE AND ODOR		VAPOR PRESSURE	
Clear, colorless liquid with acrid odor.		<3.0 mm Hg at 20°C (68°F)	
pH		SPECIFIC GRAVITY (WATER = 1)	
<1.0 (HIGHLY ACIDIC AND CORROSIVE)		1.5	
BOILING POINT / BOILING RANGE		SOLUBILITY IN WATER	
<122°C (252°F)		Soluble	
MELTING POINT		VISCOSITY	
-42°C (-44°F)		NA	
FLAMMABLE LIMITS		VAPOR DENSITY (AIR = 1)	
LEL: NE UEL: NE		2-3	
PERCENT VOLATILE		EVAPORATION RATE (WATER = 1)	
100%		NE	
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY		CONDITIONS TO AVOID:	
STABLE X		Excessive heat, light.	
INCOMPATIBILITY (MATERIALS TO AVOID):			
Combustible Organics, Metals, Strong Bases, Carbides.			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:			
Nitrogen Oxides.			
HAZARDOUS POLYMERIZATION:		CONDITIONS TO AVOID:	
Will not occur.		None related to polymerization.	
SECTION 11 - TOXICOLOGICAL INFORMATION			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)
Nitric Acid	7697-37-2 231-714-2	Lowest published lethal dose: 430 mg/kg (human)	Inhalation rat LC50: 244 ppm (NO2)/ 30 Minutes
SECTION 12 - ECOLOGICAL INFORMATION			
Concentrated product will corrode sewer systems. Large quantities will cause harm to aquatic life. Do not release product into sewer systems or bodies of water.			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD:			
Dispose of product waste as well as containers in accordance with all local, state and federal regulations.			

MATERIAL SAFETY DATA SHEET

Page 3 of 3

PRODUCT NAME: Test B		DATE: August 01, 2011	
PRODUCT NUMBER: 800-6072 (1006150)			
SECTION 14 - TRANSPORT INFORMATION			
PROPER SHIPPING NAME: Not Regulated* (USA Ground), Chemical Kit UN 3316 (Intl./Air/Sea)			
DOT HAZARD CLASS / Pack Group: Not Regulated		IMDG HAZARD CLASS: 9	
REFERENCE:		RID/ADR Dangerous Goods Code: 9	
UN / NA IDENTIFICATION NUMBER: 2922		TDG Dangerous Goods Code: 9	
LABEL: Miscellaneous Materials (9) 		Hazard Identification Number (HIN): 90	
HAZARD SYMBOLS:		IATA HAZARD CLASS / Pack Group: 9 / II	
* - Excepted Quantity under 49CFR173.4(b) for ground and rail shipments in the USA only.			
<p>Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.</p>			
SECTION 15 - REGULATORY INFORMATION			
TSCA (USA - Toxic Substance Control Act): Components Listed.			
SARA TITLE III (USA - Superfund Amendments and Reauthorization Act): NO			
Acute Health: YES		Chronic Health: YES	
Fire: NO		Sudden Release of Pressure: NO	
Reactive: YES			
313 REPORTABLE INGREDIENTS: Yes - Nitric Acid			
CERCLA (USA - Comprehensive Response Compensation and Liability Act):		1000 pd RQ (454kg) for Nitric Acid	
California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986:		Not listed.	
State Right to Know: Nitric Acid, ILL, MA, NJ, PA, RI.			
CPR (Canadian Controlled Products Regulations): Not listed.			
IDL (Canadian Ingredient Disclosure List): Listed.			
DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List):		Components listed on DSL.	
EINECS (European Inventory of Existing Commercial Chemical Substances):		Referenced.	
WGK Water Quality Index: 2			
RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:	
R8 : Contact with combustible material may cause fire. R35 : Causes severe burns.	 C+ - Highly Corrosive  O - Oxidizer	S1/2 : Keep locked up and out of the reach of children. S23 : Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer). S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36 : Wear suitable protective clothing. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).	
SECTION 16 - OTHER INFORMATION			
Legend: NA = Not Applicable, NE = Not Established, ND = Not Determined, NR = Not Reported			
HMIS HAZARD RATINGS	HEALTH:	4	0 = INSIGNIFICANT
	FLAMMABILITY:	0	1 = SLIGHT
	PHYSICAL HAZARD:	3	2 = MODERATE
	PERSONAL PROTECTIVE EQUIPMENT:	B	3 = HIGH
			4 = EXTREME
REVISION SUMMARY:			
Revised to E.U. protocols 8/1/2011 supersedes 9/26/2008 issue.LB/JTV			
MSDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com			
<p>The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.</p>			