

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

## 1 Identification

- **Product identifier**
  - Trade name: **CBD Quick Test Solution 2**
  - Product code: 800-6095 (1347798)
  - Other means of identification: Hemp Test Kit
  - Recommended use and restriction on use
    - Recommended use: CBD/THC field reagent testing kit
    - Restrictions on use: No relevant information available.
  - Details of the supplier of the Safety Data Sheet
    - Manufacturer/Supplier:  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
    - Emergency telephone number:  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)



## 2 Hazard(s) identification

- **Classification of the substance or mixture**
  - Flam. Liq. 2 H225 Highly flammable liquid and vapor.
  - Met. Corr.1 H290 May be corrosive to metals.
  - Skin Corr. 1A H314 Causes severe skin burns and eye damage.
  - Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS05

- **Signal word: Danger**

- **Hazard statements:**

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test Solution 2**

(Cont'd. of page 9)

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5   Ethanol
-------------------

**· Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

**· Chemicals known to cause developmental toxicity:**

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5   Ethanol
-------------------

**· EPA (Environmental Protection Agency):**

None of the ingredients are listed.

**· IARC (International Agency for Research on Cancer):**

64-17-5   Ethanol	1
-------------------	---

**· Canadian Domestic Substances List (DSL):**

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

**· Sources**

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sor/internet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sor/internet/registry/substreg/home/overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 11)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 10)

Website: [www.chemtelinc.com](http://www.chemtelinc.com)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

## 1 Identification

- **Product identifier**
- **Trade name:** CBD Quick Test Solution 1
- **Product code:** 800-6095 (1347798)
- **Other means of identification:** Hemp Test Kit
- **Recommended use and restriction on use**
- **Recommended use:** CBD/THC field reagent testing kit
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
 Safariland, LLC  
 13386 International Parkway  
 Jacksonville, FL 32218  
 Customer Care (800) 347-1200
- **Emergency telephone number:**  
 ChemTel Inc.  
 (800)255-3924 (North America)  
 +1 (813)248-0585 (International)



## 2 Hazard(s) identification

- **Classification of the substance or mixture**
- Flam. Liq. 2 H225 Highly flammable liquid and vapor.
- Met. Corr.1 H290 May be corrosive to metals.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- Muta. 2 H341 Suspected of causing genetic defects.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS05 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

- **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 1)

- P233 Keep container tightly closed.
- P234 Keep only in original container.
- P240 Ground/bond container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.
- P390 Absorb spillage to prevent material damage.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P406 Store in corrosive resistant container with a resistant inner liner.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures**

**Components:**

64-17-5	Ethanol  Flam. Liq. 2, H225 Eye Irrit. 2A, H319	50-100%
123-30-8	4-aminophenol  Muta. 2, H341 Acute Tox. 4, H302; Acute Tox. 4, H332	1-5%
7647-01-0	hydrochloric acid  Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; STOT SE 3, H335	1-5%

**Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

**Description of first aid measures**

- After inhalation:** Supply fresh air; consult doctor in case of complaints.
- After skin contact:**

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

## Trade name: CBD Quick Test Solution 1

(Cont'd. of page 2)

- Immediately remove any clothing soiled by the product.
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.
- Seek immediate help for blistering or open wounds.
- After eye contact:**
  - Protect unharmed eye.
  - Remove contact lenses if worn.
  - Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:**
  - Rinse out mouth and then drink plenty of water.
  - Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed:**
  - Irritant to skin and mucous membranes.
  - Coughing
  - Strong irritant with the danger of severe eye injury.
  - Gastric or intestinal disorders
- Danger:**
  - Causes serious eye damage.
  - Suspected of causing genetic defects.
- Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5 Fire-fighting measures

- Extinguishing media**
- Suitable extinguishing agents:**
  - Alcohol resistant foam
  - Water fog / haze
  - Carbon dioxide
  - Gaseous extinguishing agents
  - Fire-extinguishing powder
- For safety reasons unsuitable extinguishing agents:** No relevant information available.
- Special hazards arising from the substance or mixture**
  - Highly flammable liquid and vapor.
  - Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters**
- Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.
- Additional information:**
  - Use large quantities of foam as it is partially destroyed by the product.
  - Eliminate all ignition sources if safe to do so.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures**
  - Wear protective equipment. Keep unprotected persons away.
  - Ensure adequate ventilation.
  - Keep away from ignition sources.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 3)

Protect from heat.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

**Environmental precautions**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**Methods and material for containment and cleaning up**

Towel or mop up material and collect in a suitable container.

For large spills, absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling**

**Precautions for safe handling:**

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

**Information about protection against explosions and fires:**

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

**Conditions for safe storage, including any incompatibilities**

**Requirements to be met by storerooms and receptacles:**

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Avoid storage near extreme heat, ignition sources or open flame.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

**Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

**64-17-5 Ethanol**

PEL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
-----------	--

REL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
-----------	--

(Cont'd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 4)

TLV (USA)	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm A3
<b>7647-01-0 hydrochloric acid</b>	
PEL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL (USA)	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV (USA)	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm
EL (Canada)	Ceiling limit value: 2 ppm
EV (Canada)	Ceiling limit value: 2 ppm
LMPE (Mexico)	Ceiling limit value: 2 ppm A4

**Exposure controls**

**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

**Engineering controls:** Provide adequate ventilation.

**Breathing equipment:** Not required under normal conditions of use.

**Protection of hands:**



Protective gloves

**Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

**Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

**Body protection:** Protective work clothing

**Limitation and supervision of exposure into the environment**

No relevant information available.

**Risk management measures** No relevant information available.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

(Cont'd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 5)

· <b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Color:</b>	Clear
· <b>Odor:</b>	Alcohol-like
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value:</b>	Acidic
· <b>Melting point/Melting range:</b>	Not determined.
· <b>Boiling point/Boiling range:</b>	78 °C (172.4 °F)
· <b>Flash point:</b>	13 °C (55.4 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Auto-ignition temperature:</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· <b>Explosion limits</b>	
<b>Lower:</b>	3 Vol %
<b>Upper:</b>	19 Vol %
· <b>Oxidizing properties:</b>	Non-oxidizing.
· <b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)
· <b>Density:</b>	
<b>Relative density:</b>	Not determined.
<b>Vapor density:</b>	Not determined.
<b>Evaporation rate:</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Other information</b>	No relevant information available.

**10 Stability and reactivity**

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
  - Highly flammable liquid and vapor.
  - Reacts with oxidizing agents.
  - Used empty containers may contain product gases which form explosive mixtures with air.
  - Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

(Cont'd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 6)

- Reacts with alkali (yes).
- **Conditions to avoid** Excessive heat.
- **Incompatible materials**
  - Oxidizing agents.
  - Metals.
  - Alkalies.
- **Hazardous decomposition products**
  - Under fire conditions only:
  - Carbon monoxide and carbon dioxide
  - Nitrogen oxides
  - Chlorine compounds

## 11 Toxicological information

• **Information on toxicological effects**

• **Acute toxicity:** Based on available data, the classification criteria are not met.

• **LD/LC50 values that are relevant for classification:**

**64-17-5 Ethanol**

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4h	20000 mg/l (rat)

**123-30-8 4-aminophenol**

Oral	LD50	375 mg/kg (rat)
------	------	-----------------

• **Primary irritant effect:**

• **On the skin:** Irritant to skin and mucous membranes.

• **On the eye:** Strong irritant with the danger of severe eye injury.

• **Sensitization:** Based on available data, the classification criteria are not met.

• **IARC (International Agency for Research on Cancer):**

64-17-5 | Ethanol

1

• **NTP (National Toxicology Program):**

None of the ingredients are listed.

• **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

• **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• **Germ cell mutagenicity:** Suspected of causing genetic defects.

• **Carcinogenicity:** Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• **STOT-single exposure:** Based on available data, the classification criteria are not met.

• **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

• **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 7)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** Toxic to aquatic life with long lasting effects.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:** Avoid release to the environment.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>UN-Number</b>	UN2924
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	
· <b>UN proper shipping name</b>	Flammable liquids, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Hydrochloric acid)
· <b>DOT</b>	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), HYDROCHLORIC ACID)
· <b>ADR/RID/ADN, IMDG</b>	
· <b>IATA</b>	Flammable liquid, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Hydrochloric acid)

### · Transport hazard class(es)

- **DOT**



- **Class**
- **Label**

3  
3, 8

(Cont'd. on page 9)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test Solution 2**

(Cont'd. of page 1)

P243	Take precautionary measures against static discharge.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P390	Absorb spillage to prevent material damage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards** There are no other hazards not otherwise classified that have been identified.

**3 Composition/information on ingredients**

- **Chemical characterization: Mixtures**

Components:	
64-17-5	Ethanol Flam. Liq. 2, H225 Eye Irrit. 2A, H319
1310-73-2	Sodium hydroxide Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

- **Additional information:**

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

**4 First-aid measures**

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air.  
Provide oxygen treatment if affected person has difficulty breathing.  
If experiencing respiratory symptoms: Call a doctor.

- **After skin contact:**

Immediately remove any clothing soiled by the product.  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.  
Seek immediate help for blistering or open wounds.

- **After eye contact:**

(Cont'd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

Trade name: CBD Quick Test Solution 1

(Cont'd. of page 8)

<b>· ADR/RID/ADN</b>	
	
· Class	3 (FC)
· Label	3+8
<b>· IMDG</b>	
	
· Class	3
· Label	3/8
<b>· IATA</b>	
	
· Class	3
· Label	3 (8)
· Packing group	
· DOT, ADR/RID/ADN, IMDG, IATA	II
· Environmental hazards	Product contains environmentally hazardous substances: 4-aminophenol
· Marine pollutant:	 Yes
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	338
· EMS Number:	F-E,S-C
· Segregation groups	Strong acids
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum capacity of greater than 450 L (119 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c))
· ADR/RID/ADN	Marine pollutants packaged in single or combination packagings containing a net quantity per single or

(Cont'd. on page 10)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 9)

inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)

· **IMDG**

Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

- United States (USA)
- SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7647-01-0 | hydrochloric acid

· Section 313 (Specific toxic chemical listings):

7647-01-0 | hydrochloric acid

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 | Ethanol

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 | Ethanol

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 | Ethanol

1

· Canadian Domestic Substances List (DSL):

(Cont'd. on page 11)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 1

(Cont'd. of page 10)

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Muta. 2: Germ cell mutagenicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

### Sources

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))

Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sor](http://ofmpub.epa.gov/sor) [internet/registry/substreg/home/](http://internet/registry/substreg/home/) [overview/home.do](http://overview/home.do))

Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: [www.chemtelinc.com](http://www.chemtelinc.com)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 7)

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** Toxic to aquatic life with long lasting effects.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:** Avoid release to the environment.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· <b>UN-Number</b>	UN2924
· <b>DOT, ADR/RID/ADN, IMDG, IATA</b>	
· <b>UN proper shipping name</b>	Flammable liquids, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Sodium hydroxide)
· <b>DOT</b>	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (ETHANOL (ETHYL ALCOHOL), SODIUM HYDROXIDE)
· <b>ADR/RID/ADN, IMDG</b>	Flammable liquid, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Sodium hydroxide)
· <b>IATA</b>	

### · Transport hazard class(es)

- **DOT**



- **Class**
- **Label**

3  
3, 8

(Cont'd. on page 9)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

## 1 Identification

- **Product identifier**
- **Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture
- **Product code:** 800-6095 (1347798)
- **Other means of identification:** Hemp Test Kit
- **Recommended use and restriction on use**
- **Recommended use:** CBD/THC field reagent testing kit
- **Restrictions on use:** No relevant information available.
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Safariland, LLC  
13386 International Parkway  
Jacksonville, FL 32218  
Customer Care (800) 347-1200
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)



## 2 Hazard(s) identification

- **Classification of the substance or mixture**
- Flam. Liq. 2 H225 Highly flammable liquid and vapor.
- Met. Corr. 1 H290 May be corrosive to metals.
- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.
- Muta. 2 H341 Suspected of causing genetic defects.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms:**



GHS02 GHS05 GHS08

- **Signal word:** Danger

- **Hazard statements:**

H225 Highly flammable liquid and vapor.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H341 Suspected of causing genetic defects.

- **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 1)

P234	Keep only in original container.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe mist/vapors/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P370+P378	In case of fire: Use for extinction: Alcohol resistant foam or water spray.
P390	Absorb spillage to prevent material damage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards** There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

64-17-5	Ethanol	50-100%
	Flam. Liq. 2, H225 Eye Irrit. 2A, H319	
1310-73-2	Sodium hydroxide	20-100%
	Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
123-30-8	4-aminophenol	0-5%
	Muta. 2, H341 Acute Tox. 4, H302; Acute Tox. 4, H332	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.  
For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

· Description of first aid measures

· After inhalation:

(Cont'd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test - Solution 1 and Solution 2 Mixture**

(Cont'd. of page 2)

- Supply fresh air.
- Provide oxygen treatment if affected person has difficulty breathing.
- If experiencing respiratory symptoms: Call a doctor.
- **After skin contact:**
  - Immediately remove any clothing soiled by the product.
  - Immediately rinse with water.
  - If skin irritation continues, consult a doctor.
  - Seek immediate help for blistering or open wounds.
- **After eye contact:**
  - Protect unharmed eye.
  - Remove contact lenses if worn.
  - Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
  - Rinse out mouth and then drink plenty of water.
  - Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**
  - Gastric or intestinal disorders
  - Strong caustic effect on skin and mucous membranes.
  - Gastric or intestinal disorders when ingested.
- **Danger:**
  - Danger of gastric perforation.
  - Causes severe skin burns and eye damage.
  - Suspected of causing genetic defects.
- **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**
  - Alcohol resistant foam
  - Water fog / haze
  - Carbon dioxide
  - Gaseous extinguishing agents
  - Fire-extinguishing powder
- **For safety reasons unsuitable extinguishing agents:** No relevant information available.
- **Special hazards arising from the substance or mixture**
  - Highly flammable liquid and vapor.
  - Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.
- **Additional information:**
  - Use large quantities of foam as it is partially destroyed by the product.
  - Eliminate all ignition sources if safe to do so.

**6 Accidental release measures**

(Cont'd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test - Solution 1 and Solution 2 Mixture**

(Cont'd. of page 3)

**· Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

**· Environmental precautions** Avoid release to the environment.

**· Methods and material for containment and cleaning up**

Towel or mop up material and collect in a suitable container.

For large spills, absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**· Handling**

**· Precautions for safe handling:**

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

**· Information about protection against explosions and fires:**

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

**· Conditions for safe storage, including any incompatibilities**

**· Requirements to be met by storerooms and receptacles:**

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Avoid storage near extreme heat, ignition sources or open flame.

**· Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

Do not store together with acids.

**· Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

**· Control parameters**

**· Components with limit values that require monitoring at the workplace:**

(Cont'd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 4)

<b>64-17-5 Ethanol</b>	
PEL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm A3
<b>1310-73-2 Sodium hydroxide</b>	
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
EV (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
LMPE (Mexico)	Ceiling limit value: 2 mg/m <sup>3</sup>

**Exposure controls**

**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

**Engineering controls:** Provide adequate ventilation.

**Breathing equipment:** Not required under normal conditions of use.

**Protection of hands:**



Protective gloves

**Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

**Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

**Body protection:** Protective work clothing

**Limitation and supervision of exposure into the environment**

No relevant information available.

**Risk management measures** No relevant information available.

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 5)

## 9 Physical and chemical properties

<b>· Information on basic physical and chemical properties</b>	
<b>· Appearance:</b>	
Form:	Liquid
Color:	Clear, blue or red
· Odor:	Alcohol-like
· Odor threshold:	Not determined.
· pH-value:	Alkaline
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	3 Vol %
Upper:	19 Vol %
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

## 10 Stability and reactivity

- Reactivity:** No relevant information available.
- Chemical stability:** Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions**  
Highly flammable liquid and vapor.

(Cont'd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 2)

- Protect unharmed eye.
- Remove contact lenses if worn.
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:**
  - Rinse out mouth and then drink plenty of water.
  - Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed:**
  - Gastric or intestinal disorders
  - Strong caustic effect on skin and mucous membranes.
  - Gastric or intestinal disorders when ingested.
- Danger:**
  - Danger of gastric perforation.
  - Causes severe skin burns and eye damage.
- Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5 Fire-fighting measures

- Extinguishing media**
- Suitable extinguishing agents:**
  - Alcohol resistant foam
  - Water fog / haze
  - Carbon dioxide
  - Gaseous extinguishing agents
  - Fire-extinguishing powder
- For safety reasons unsuitable extinguishing agents:** No relevant information available.
- Special hazards arising from the substance or mixture**
  - Highly flammable liquid and vapor.
  - Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters**
- Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.
- Additional information:**
  - Use large quantities of foam as it is partially destroyed by the product.
  - Eliminate all ignition sources if safe to do so.

## 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures**
  - Wear protective equipment. Keep unprotected persons away.
  - Ensure adequate ventilation.
  - Keep away from ignition sources.
  - Protect from heat.
  - For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- Environmental precautions**
  - Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Methods and material for containment and cleaning up**

(Cont'd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test - Solution 1 and Solution 2 Mixture**

(Cont'd. of page 6)

Reacts with oxidizing agents.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Strong exothermic reaction with acids.

Toxic fumes may be released if heated above the decomposition point.

- **Conditions to avoid** Keep ignition sources away - Do not smoke.

- **Incompatible materials**

Oxidizing agents.

Metals.

Acids.

- **Hazardous decomposition products**

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides

### 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

**64-17-5 Ethanol**

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4h	20000 mg/l (rat)

**123-30-8 4-aminophenol**

Oral	LD50	375 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**

- **On the skin:** Strong caustic effect on skin and mucous membranes.

- **On the eye:** Strong caustic effect.

- **Sensitization:** Based on available data, the classification criteria are not met.

- **IARC (International Agency for Research on Cancer):**

64-17-5	Ethanol	1
---------	---------	---

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- **Germ cell mutagenicity:** Suspected of causing genetic defects.

- **Carcinogenicity:** Based on available data, the classification criteria are not met.

- **Reproductive toxicity:** Based on available data, the classification criteria are not met.

- **STOT-single exposure:** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

- **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 8)

**· ADR/RID/ADN**



- Class
- Label

3 (FC)  
3+8

**· IMDG**



- Class
- Label

3  
3/8

**· IATA**



- Class
- Label

3  
3 (8)

**· Packing group**

- DOT, ADR/RID/ADN, IMDG, IATA

II

**· Environmental hazards**

Product contains environmentally hazardous substances: 4-aminophenol

**· Marine pollutant:**



Yes

**· Special precautions for user**

Warning: Flammable liquids

**· Danger code (Kemler):**

338

**· EMS Number:**

F-E,S-C

**· Segregation groups**

Strong alkalis

**· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**· Transport/Additional information:**

**· DOT**

Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum capacity of greater than 450 L (119 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c))

**· ADR/RID/ADN**

Marine pollutants packaged in single or combination packagings containing a net quantity per single or

(Cont'd. on page 10)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test - Solution 1 and Solution 2 Mixture**

(Cont'd. of page 9)

<ul style="list-style-type: none"> <li>· inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 5.2.1.8.1)</li> </ul>
<ul style="list-style-type: none"> <li>· <b>IMDG</b> Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)</li> </ul>

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 | Ethanol

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 | Ethanol

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 | Ethanol

1

· Canadian Domestic Substances List (DSL):

(Cont'd. on page 11)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test - Solution 1 and Solution 2 Mixture

(Cont'd. of page 10)

All ingredients listed on DSL or NDSL.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
OSHA: Occupational Safety & Health Administration  
Flam. Liq. 2: Flammable liquids – Category 2  
Met. Corr.1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A  
Mutagen. 2: Germ cell mutagenicity – Category 2

### Sources

Website, European Chemicals Agency ([echa.europa.eu](http://echa.europa.eu))  
Website, US EPA Substance Registry Services ([ofmpub.epa.gov/sor/internet/registry/substreg/home/overview/home.do](http://ofmpub.epa.gov/sor/internet/registry/substreg/home/overview/home.do))  
Website, Chemical Abstracts Registry, American Chemical Society ([www.cas.org](http://www.cas.org))  
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6  
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.  
Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.  
1305 North Florida Avenue  
Tampa, Florida USA 33602-2902  
Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573  
Website: [www.chemtelinc.com](http://www.chemtelinc.com)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test Solution 2**

(Cont'd. of page 3)

Towel or mop up material and collect in a suitable container.  
For large spills, absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

Send for recovery or disposal in suitable receptacles.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**7 Handling and storage**

**· Handling**

**· Precautions for safe handling:**

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

**· Information about protection against explosions and fires:**

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

**· Conditions for safe storage, including any incompatibilities**

**· Requirements to be met by storerooms and receptacles:**

Store in cool, dry conditions in well sealed receptacles.

Use only receptacles specifically permitted for this substance/product.

Avoid storage near extreme heat, ignition sources or open flame.

**· Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidizing agents.

Store away from metals.

Do not store together with acids.

**· Specific end use(s)** No relevant information available.

**8 Exposure controls/personal protection**

**· Control parameters**

**· Components with limit values that require monitoring at the workplace:**

**64-17-5 Ethanol**

PEL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm
LMPE (Mexico)	Long-term value: 1000 ppm

(Cont'd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 4)

A3	
<b>1310-73-2 Sodium hydroxide</b>	
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit value: 2 mg/m <sup>3</sup>
EL (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
EV (Canada)	Ceiling limit value: 2 mg/m <sup>3</sup>
LMPE (Mexico)	Ceiling limit value: 2 mg/m <sup>3</sup>

**Exposure controls**

**General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

**Engineering controls:** Provide adequate ventilation.

**Breathing equipment:** Not required under normal conditions of use.

**Protection of hands:**



Protective gloves

**Material of gloves**

Nitrile rubber, NBR

Butyl rubber, BR

Neoprene gloves

Natural rubber, NR

**Eye protection:**



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

**Body protection:** Protective work clothing

**Limitation and supervision of exposure into the environment**

No relevant information available.

**Risk management measures** No relevant information available.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**

**Appearance:**

Form:

Liquid

Color:

Colorless

Odor:

Alcohol-like

Odor threshold:

Not determined.

(Cont'd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 5)

· pH-value:	Alkaline
· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	78 °C (172.4 °F)
· Flash point:	13 °C (55.4 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits	
Lower:	3 Vol %
Upper:	19 Vol %
· Oxidizing properties:	Non-oxidizing.
· Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
· Density:	
Relative density:	Not determined.
Vapor density:	Not determined.
Evaporation rate:	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

**10 Stability and reactivity**

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**  
Highly flammable liquid and vapor.  
Reacts with oxidizing agents.  
Used empty containers may contain product gases which form explosive mixtures with air.  
Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.  
Strong exothermic reaction with acids.  
Toxic fumes may be released if heated above the decomposition point.
- **Conditions to avoid** Keep ignition sources away - Do not smoke.
- **Incompatible materials**  
Oxidizing agents.

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 6)

Metals.  
Acids.

**· Hazardous decomposition products**

Under fire conditions only:

Carbon monoxide and carbon dioxide

## 11 Toxicological information

**· Information on toxicological effects**

**· Acute toxicity:** Based on available data, the classification criteria are not met.

**· LD/LC50 values that are relevant for classification:**

**64-17-5 Ethanol**

Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4h	20000 mg/l (rat)

**· Primary irritant effect:**

**· On the skin:** Strong caustic effect on skin and mucous membranes.

**· On the eye:** Strong caustic effect.

**· Sensitization:** Based on available data, the classification criteria are not met.

**· IARC (International Agency for Research on Cancer):**

64-17-5 Ethanol

1

**· NTP (National Toxicology Program):**

None of the ingredients are listed.

**· OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

**· Probable route(s) of exposure:**

Ingestion.

Inhalation.

Eye contact.

Skin contact.

**· Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**· Carcinogenicity:** Based on available data, the classification criteria are not met.

**· Reproductive toxicity:** Based on available data, the classification criteria are not met.

**· STOT-single exposure:** Based on available data, the classification criteria are not met.

**· STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**· Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

**Toxicity**

**Aquatic toxicity** No relevant information available.

**Persistence and degradability** No relevant information available.

**Bioaccumulative potential:** No relevant information available.

**Mobility in soil:** No relevant information available.

**Additional ecological information**

**General notes:**

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name: CBD Quick Test Solution 2**

(Cont'd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Other adverse effects** No relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**

- **Recommendation:**

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**

- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**

- DOT, ADR/RID/ADN, IMDG, IATA

UN2924

- **UN proper shipping name**

- DOT

Flammable liquids, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Sodium hydroxide)

- ADR/RID/ADN, IMDG

FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
(ETHANOL (ETHYL ALCOHOL), SODIUM HYDROXIDE)

- IATA

Flammable liquid, corrosive, n.o.s. (Ethanol (Ethyl alcohol), Sodium hydroxide)

- **Transport hazard class(es)**

- DOT



- Class

3

- Label

3, 8

- ADR/RID/ADN



- Class

3 (FC)

- Label

3+8

(Cont'd. on page 9)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 14, 2019

**Trade name:** CBD Quick Test Solution 2

(Cont'd. of page 8)

**· IMDG**



- Class
- Label

3  
3/8

**· IATA**



- Class
- Label

3  
3 (8)

**· Packing group**

- DOT, ADR/RID/ADN, IMDG, IATA

II

**· Environmental hazards**

Product contains environmentally hazardous substances: 4-aminophenol

**· Marine pollutant:**

No

**· Special precautions for user**

Warning: Flammable liquids

**· Danger code (Kemler):**

338

**· EMS Number:**

F-E,S-C

**· Segregation groups**

Strong alkalis

**· Transport in bulk according to Annex II of**

**MARPOL73/78 and the IBC Code**

Not applicable.

## 15 Regulatory information

**· Safety, health and environmental regulations/legislation specific for the substance or mixture**

**· United States (USA)**

**· SARA**

**· Section 302 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

**· Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

**· TSCA (Toxic Substances Control Act)**

All ingredients are listed or exempt.

**· Proposition 65 (California)**

**· Chemicals known to cause cancer:**

(Cont'd. on page 10)