


# MATERIAL SAFETY DATA SHEET

## PRODUCT

908  
Duquenois-Levine Reagent



## SECTION 1 - IDENTITY

Name ODV, Inc. Address 13386 International Parkway, Jacksonville FL 32218  
Telephone Number 207-743-7712 For Additional Information Contact: Larry Dow Date Prepared September 10, 2004  
Common name (used on Label) 908 Duquenois-Levine Reagent  
Trade name & Synonyms NarcoPouch® Chemical Family Does Not Apply  
Chemical Name Does Not Apply Formula Does Not Apply

## SECTION 2 - HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENT	CAS #	% (wt)	TLV	PEL
Ethanol: 1st ampoule	unknown	>95	No TVL	No PEL
Vanillin: 1st ampoule	121-33-5	2	No TVL	No PEL
Acetaldehyde: 1st ampoule	75-07-0	0.2	180 mg/m <sup>3</sup>	360 mg/m <sup>3</sup>
HCl: 2nd ampoule (cap)	7647-01-0	100	7 mg/m <sup>3</sup>	7 mg/m <sup>3</sup>
Chloroform: 3rd ampoule	67-66-3	100	50 mg/m <sup>3</sup>	240 mg/m <sup>3</sup>

PEL: Permissible Exposure Limit established by the Occupational Safety and Health Administration  
TLV: Threshold Limit Value established by the American Conference of Governmental Industrial Hygienists, 1987-88.

## SECTION 3 - PHYSICAL DATA

BOILING POINT 61.26° C (Chloroform) SPECIFIC GRAVITY (H<sub>2</sub>O = 1) 1.49 (Chloroform) 1.19 (HCl) VAPOR PRESSURE (mm Hg) 4.0 atm. @ 17.8° C (HCl)  
PERCENT VOLATILE BY VOLUME not determined VAPOR DENSITY (AIR = 1) 4.12 (Chloroform), 1.3 (HCl) EVAPORATION RATE not determined  
SOLUBILITY IN WATER 100% (HCl), slight (Chloroform) REACTIVITY IN WATER Not determined  
APPEARANCE AND ODOR Clear fuming liquid acrid odor (HCl), colorless liquid, ethereal odor (Chloroform)

## SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT none FLAMMABLE LIMITS IN AIR (% By Volume) LOWER: not applicable UPPER: not applicable  
EXTINGUISHING MEDIA water, neutralize HCl with chemically basic substance like soda ash AUTO IGNITION TEMPERATURE not applicable  
UNUSUAL FIRE AND EXPLOSION HAZARDS

SPECIAL FIRE FIGHTING PROCEDURES Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece operated in positive pressure mode.

Continued on Reverse Side

908 Duquenois-Levine

## SECTION 5 - HEALTH INFORMATION

PRIMARY ROUTES OF EXPOSURE Inhalation, Contact with eyes or skin, Ingestion.  
SIGNS AND SYMPTOMS OF EXPOSURE Irritation of eyes, nose and throat. Splashes in the eyes or on the skin will cause severe skin burns.  
(1) ACUTE OVEREXPOSURE - Inhalation of acid vapors may irritate mucous membranes and respiratory tract.  
(2) CHRONIC OVEREXPOSURE - Repeated or prolonged exposure to dilute solutions of acid may cause irritation of the skin. Repeated or prolonged exposure to mists or vapors of HCl will cause erosion of teeth, chronic irritation of the eyes, or chronic inflammation of the nose, throat, or bronchial tubes.  
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Impaired pulmonary function, pre-existing eye problems, pre-existing skin disorders may be aggravated by exposure.  
CHEMICAL/COMPONENT LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN NTP ☐ Yes ☒ No IARC ☒ Yes ☐ No OSHA ☐ Yes ☒ No  
OTHER EXPOSURE LIMITS Chloroform: 2 ppm (9.78 mg/m<sup>3</sup>) 60 minute ceiling NIOSH  
EMERGENCY & FIRST AID PROCEDURES If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If Chloroform is swallowed, if conscious, induce vomiting and repeat until fluid is clear. If Hydrochloric acid is swallowed, if conscious give tap water, milk or milk of magnesia, give eggs beaten with water, do not give emetics. In cases of eye contact (any component), flush with water at least 15 minutes. For skin contact, flood with tap water. Call a physician.

## SECTION 6 - REACTIVITY DATA

STABILITY Unstable ☐ Stable ☒ CONDITIONS TO AVOID Open flame or heat above 93.3° C.  
INCOMPATIBILITY (MATERIALS TO AVOID) Hydrochloric acid reacts with metals to produce hydrogen gas. Iron and aluminum are readily corroded by HCl. Chloroform is incompatible with excess water and strong alkalis.

HAZARDOUS DECOMPOSITION PRODUCTS Chloroform may decompose to toxic fumes of chlorides.

HAZARDOUS POLYMERIZATION May occur ☐ Will not occur ☒ CONDITIONS TO AVOID Not determined.

## SECTION 7 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS LEAKED OR SPILLED Minor HCl spill: cover with sodium carbonate. Add water if necessary to form slurry. Chloroform: eliminate all sources of ignition. Absorb on powdered charcoal.

WASTE DISPOSAL METHOD Dispose of wastes in accordance with Federal, State, and Local codes.

## SECTION 8 - PERSONAL PROTECTION INFORMATION

RESPIRATORY PROTECTION Respiratory protection is not required under normal uses (non fire and spill conditions).  
VENTILATION Room ventilation is expected to be adequate except during spills or fires.  
PROTECTIVE GLOVES Required when the potential of contact exists. EYE PROTECTION Required when the potential of contact exists.  
OTHER PROTECTIVE CLOTHING OR EQUIPMENT An eye wash fountain and safety shower should be readily available where the potential for eye contact with the reagent exists.

## SECTION 9 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Store and handle according to packaged instructions. Store in cool, well ventilated area. Keep away from reactive materials and away from fire hazard.  
OTHER PRECAUTIONS Do not get in eyes, on skin, or on clothing. Avoid breathing vapor. Wash thoroughly after handling. Be prepared to neutralize acids.

The above information is believed to be correct, but does not purport to be all inclusive and shall be used only as a guide. ODV, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

ODV, INC. 2002