Page 1 of 4

01-813-248-0585

International

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION PRODUCT NAME: Methamphetamine and MDMA Reagent PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046) May 1, 2012 DATE: TRADE NAME: Sodium Nitroprusside Reagent GENERAL USE: Test for Methamphetamine CHEMICAL FAMILY: Acetaldehyde nitroprusside PRODUCT DESCRIPTION: Clear colorless liquid 1st ampoule; clear light brown liquid 2nd ampoule MANUFACTURED FOR: DATE PREPARED: Safariland LLC SUPERSEDES: August 1, 2011 ADDRESS (NUMBER, STREET, P.O. BOX) TELEPHONE NUMBER FOR INFORMATION / Customer Service 13386 International Parkway 800-347-1200 (CITY, STATE AND ZIP CODE) COUNTRY **CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER**

SECTION 2-HAZARDS IDENTIFICATION

ChemTel

USA

EMERGENCY OVERVIEW

Jacksonville, FL 32218

Irritation of eyes, nose, and throat. Splashes in the eyes or on the skin will cause severe skin burns. Inhalation of acid vapors may be injurious to the lungs. Repeated or prolonged exposure to dilute solutions of acid may cause irritation of the skin.

POTENTIAL HEALTH EFFECTS

INHALATION:

Irritation of throat. Inhalation of acid vapors may be injurious to the lungs and with repeated inhalation chronic irritation/inflammation of nose, throat, and bronchial tubes.

ISKIN

Imitation and or burns by direct contact. Delayed onset contact dermatitis is also possible with chronic repeated exposure to both ampoule 1 and ampoule 3 chemicals.

EYES:

Chronic irritation of eyes.

INGESTION:

Severe irritation and ulceration of the gastrointestinal tract. Vomiting and diarrhea are also symptoms.

CARCINOGENICITY:

NTP? Yes-Acetaldehyde.

IARC MONOGRAPHS? Yes-Acetaldehyde

OSHA REGULATED?

1-800-255-3924

North America Toll Free

CALIFORNIA, Prop.65? ESIS?

Yes CAS#75-07-0 (Acetaldehyde) are known carcinogens listed in the State of California. Yes CAS #75-07-0 EINECS #200-836-8 Acetaldehyde=Limited evidence of carcinogenic effect.

	SECTION	3 - HAZARDO	US INGREDIENTS		
Hazardous Components	% (by Weight)	CAS#	EINECS#	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Acetaldehyde	5-15	75-07-0	200-836-8	F+, Xn, Xi	R12, R36/37,R40
Sodium Carbonate Aqueous	1-5	497-19-8	207-838-9	Xi	R36
Sodium Nitroprusside Aqueous	1-5	13755-38-9	238-373-9 (anhydrous)	Т	R23/24/25, R32

Notes: Hazard symbols and risk phrases based on maximum listed concentration of each hazardous ingredient.

SECTION 4 - FIRST AID MEASURES

INHALATION:

Remove to fresh air, apply CPR if victim is unconscious, administer oxygen, seek immediate medical attention.

EYES

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention.

SKIN

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.

INGESTION

If swallowed, give plenty of water to dilute substances, do not induce vomiting; if conscious, give large quantities of water immediately. If vomiting occurs spontaneously, keep the head below the waist to avoid aspiration.

Call a physician immediately.

PRODUCT NAME: Methamphetamine and MDMA Reagent May 1, 2012 DATE: PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046) SECTION 5 FIRE FIGHTING MEASURES GENERAL HAZARDS: Acetaldehyde is flammable, and sodium nitroprusside will emit toxic gases when heated in a fire. EXTINGUISHING MEDIA: Use extinguishing media appropriate for surrounding fire. FIRE FIGHTING PROCEDURES: Under fire conditions wearing NIOSH/MSA or European EN-149 approved SCBA's or acid gas=organic vapor respirators is required. UNUSUAL FIRE AND EXPLOSION HAZARDS: Toxic fumes may be produced by heated product. HAZARDOUS COMBUSTION PRODUCTS: Hydrogen cyanide gas, carbon oxides, sodium oxide fumes. SECTION 6 ACCIDENTAL RELEASE MEASURES STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wear protective equipment; ventilate area; Add baking soda (sodium bicarbonate) to absorb material. Add water if necessary to form a slurry. Scoop up slurry. Can use ODV part number 910 soda ash. SECTION 7 - HANDLING AND STORAGE PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store and handle according to packaged instructions. Store in cool, well ventilated area. Keep away from reactive materials. Avoid breathing vapor and prevent vapor accumulation in enclosed areas. SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION ACGIH **OSHA** NIOSH STEL ppm= STEL mg/m3 TEV/TWA:ppm STWA:mg/m3 STEL:ppm STEL:mg/m3 TWA mg/m3 **TWA ppm** HAZARDOUS COMPONENTS 2000 25 Ceiling 200 360 Acetaldehyde 25 **IDLH** NE NE NE NE Sodium Carbonate Aqueous 1(as iron) Sodium Nitroprusside Aqueous 1(as iron) PERSONAL PROTECTION RESPIRATORY PROTECTION: Not generally needed as kit is opened and used immediately in the field. For spills, an organic vapor respirator (OSHA/NIOSH or EU Approved) is advisable. PROTECTIVE GLOVES: Impervious gloves (neoprene, nitrile) required when any contact potential with contents exists. EYE PROTECTION: Do not get in eyes, wear safety glasses with side shield splash protection or chemical goggles. OTHER PROTECTIVE CLOTHING OR EQUIPMENT: An eye wash fountain and safety shower should be readily available where the potential for contact exists. WORK / HYGIENIC PRACTICES: Wash thoroughly after handling. Be prepared to absorb any spill. SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES VAPOR PRESSURE APPEARANCE AND ODOR Clear colorless liquid 1st ampoule; clear light brown liquid 2nd NA ampoule. SPECIFIC GRAVITY (WATER = 1) Volatility VOC NF SOLUBILITY IN WATER BOILING POINT / BOILING RANGE NA

VISCOSITY

VAPOR DENSITY (AIR = 1)

EVAPORATION RATE (BUTYL ACETATE = 1)

NA

NF

FLASH POINT

FLAMMABLE LIMITS LEL: NR

AUTO-IGNITION TEMPERATURE

UEL: NR

NΑ

NR

PRODUCT NAME:

Methamphetamine and MDMA Reagent

X

PRODUCT NUMBER(S):

923 (1006342), 7623 (1006046)

May 1, 2012

SECTION 10=STABILITY AND REACTIVITY

STABILITY

STABLE

CONDITIONS TO AVOID:

Excessive heat, light exposure, contact with incompatible materials.

DATE:

INCOMPATIBILITY (MATERIALS TO AVOID):

Sodium nitroprusside when strongly acidified by contact with Sulfuric or Nitric Acid and when also heated can produce deadly Hydrogen Cyanide gas.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

Hydrogen Cyanide gas, organic vapors, sodium oxide fumes.

HAZARDOUS POLYMERIZATION:

CONDITIONS TO AVOID:

None related to polymerization.

Will not occur.

SECTION 11-TOXICOLOGICAL INFORMATION					
Hazardous Components	CAS# EINECS#	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)		
Acetaldehyde	75-07-0	Oral, rat: LD50 = 661 mg/kg	Inhalation, rat:		
	200-836-8 497-19-8		LC50 = 13300 ppm/4H. Inhalation, rat:		
Sodium Carbonate Aqueous	207-838-8	Oral, rabbit: LD50 = 4090 mg/kg	LC50 = 2300 mg/m ³ / 2 hours		
Sodium Nitroprusside Aqueous	13755-38-9 238-373-9 (anhydrous)	Oral, rat: LD50 = 99 mg/kg Oral, rabbit: LD50 = 34 mg/kg	NE		

SECTION 12-ECOLOGICAL INFORMATION

Components of this product are environmentally hazardous; do not dispose in sewers or bodies of water.

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

SECTION 14 - TRANSPORT INFORMATION

GROUND SHIPMENT WITHIN USA (DOT):

PROPER SHIPPING NAME:

None - Exempted Qty.

CLASS/ PACK GROUP/ LABELING:

Class 3 with Excepted Qty. marking on package. No class 3 label required.

When shipped under 49CFR173.4a, This product is exempt from other labeling and waybill requirements.

GROUND SHIPMENTS TO AND WITHIN CANADA (TDG):

PROPER SHIPPING NAME:

None - Limited Quantity (within Canada), See above for US to Canada

CLASS/ PACK GROUP/ LABELING:

Phrase "Ltd. Qtv." on package. No additional requirements.

TDG only used for shipment within Canada, shipments from the US can follow DOT regulations. See TDG Sections 1.17 and 9. NOTES:

AIR SHIPMENTS (ICAO/IATA):

PROPER SHIPPING NAME:

None - (Classified under UN1993 Flammable Liquid n.o.s. PGII - Excepted Qty. E2)

CLASS/ PACK GROUP/ LABELING:

Class 3 with Excepted Qty. marking on package. No class 3 label required.

NOTES:

This product is exempt from other labeling and waybill requirements.

OCEAN SHIPMENTS (IMDG):

PROPER SHIPPING NAME:

None

CLASS/ PACK GROUP/ LABELING:

Class 3 with Excepted Qty. marking on package. No class 3 label required.

Shipping Paper required with statement "Dangerous Goods in Excepted Quantities" and number of packages.

ALL SHIPMENTS EXCEEDING EXCEPTED QUANTITY / ALTERNATIVE SHIPPING INFORMATION:

PROPER SHIPPING NAME:

UN 3316, Chemical Kit

CLASS/ PACK GROUP/ LABELING:

Class 9, Pack Group III. Miscellaneous Label

NOTES:

Full documentation required.

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, TDG & UN information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping. Information above does not account for overpacks or outer packings with multiple hazardous materials; consult shipper when multiple materials are shipped. Consult regulations for maximum outer packaging and overpack requirements

Methamphetamine and MDMA Reagent PRODUCT NAME: May 1, 2012 PRODUCT NUMBER(S): 923 (1006342), 7623 (1006046) DATE: SECTION 15 - REGULATORY INFORMATION Ingredients are listed. TSCA (USA - Toxic Substance Control Act): SARA TITLE III (USA - Superfund Amendments and Reauthorization Act): Chronic Health: Yes Acute Health: Yes Sudden Release of Pressure: No Fire: Vee No Reactive: 313 REPORTABLE INGREDIENTS: This material contains Acetaldehyde (CAS# 75-07-0, > 99.5%),which is subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373. CAS# 75-07-0: 1000 lb final RQ; 454 kg final RQ. CERCLA (USA - Comprehensive Response Compensation and Liability Act): California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: Yes - Acetaldehyde State Right to Know: Acetaldehyde: MA,NJ,PA,RI; Listed as Disodium pentacyanonitrosylferrate NJ, PA. CIDL (Canadian Ingredient Disclosure List): Not listed. CDSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): Not Listed on CDSL. Referenced. EINECS (European Inventory of Existing Commercial Chemical Substances): WGK Water Quality Index: SYMBOL(S) REQUIRED FOR EU LABEL SAFETY PHRASES: RISK PHRASES: S1/2: Keep locked up and out of the reach of R11: Highly Flammable. children. R20/21: Harmful by inhalation and in S9: Keep container in a well ventilated place. contact with skin. S26: In case of contact with eyes, rinse R25 Toxic if swallowed. immediately with plenty of water and seek R32: Contact with acids liberates medical advice. Xn/Xi: Harmful /Irritant very toxic gas. \$36/37/39: Wear suitable protective clothing, R37: Irritating to respiratory system. gloves and eye/face protection. R38: Irritating to skin. S45: In case of accident or if you feel unwell, R40: Limited evidence of seek medical advice immediately (show the carcinogenic effect. label where possible). R48/20/22: Harmful: danger of S50A: Do not mix with acids. serious damage to health by prolonged exposure through inhalation and if swallowed. F: Highly Flammable SECTION 16 OTHER INFORMATION N/D = Not Determined N/E = Not Established N/R = Not Reported N/A = Not Applicable Legend: 0 = INSIGNIFICANT HMIS HAZARD RATINGS HEALTH: 0 1 = SLIGHT FLAMMABILITY: 1 2 = MODERATE PHYSICAL HAZARD: PERSONAL PROTECTIVE EQUIPMENT: 3 = HIGH 4 = EXTREME

REVISION SUMMARY:

Revised 5/1/2012. LB

MSDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information, furnished by the manufacture of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current applicable and suited to the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current applicable and suited to the current and the current applicable and suited to the current and the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited the current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable and suited to confirm in advance of need that information is current applicable.