Page 1/13


Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and

Printing date: July 30, 2014 Revision: July 30, 2014

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: Test A
- · Article number: 800-6071 (1006149)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Marguis Reagent / General Alkaloids Drug Test
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



(800)255-3924, +1 (813)248-0585



SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



health hazard

Carc. 1A H350 May cause cancer.



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

Causes severe burns.



Xn; Harmful

Limited evidence of a carcinogenic effect.

Xi; Sensitising

May cause sensitisation by skin contact.

(Contd. on page 2)

Revision: July 30, 2014 Printing date: July 30, 2014

Trade name: Test A

(Contd. of page 1)

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms







GHS05 GHS07 GHS08

· Signal word Danger

· Hazard-determining components of labelling:

Sulfuric Acid formaldehyde

· Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary statements

P281

Use personal protective equipment as required.

P264

Wash thoroughly after handling.

P202

Do not handle until all safety precautions have been read and understood.

P260

Do not breathe mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P308+P313

IF exposed or concerned: Get medical advice/attention.

P501

Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

Restricted to professional users.

· Hazard description:

· WHMIS-symbols:

D2A - Very toxic material causing other toxic effects

E - Corrosive material



(Contd. on page 3)

Revision: July 30, 2014 Printing date: July 30, 2014

Trade name: Test A

NFPA ratings (scale 0 - 4)

(Contd. of page 2)



Health = 4 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

REACTIVITY Reactivity = 0

4 Health = *4 Fire = 0

- * Indicates a long term health hazard from repeated or prolonged exposures.
- HMIS Long Term Health Hazard Substances

All ingredients are listed.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

CAS: 7664-93-9	sulphuric acid	50-100%
	C R35	
Index number: 016-020-00-8	Skin Corr. 1A, H314	
CAS: 50-00-0	formaldehyde	2,5-10%
EINECS: 200-001-8	▼ T R23/24/25; ☐ C R34; ▼ Xn R40; ▼ Xi R43	
Index number: 605-001-00-5	Carc. Cat. 3	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
	♠ Carc. 2, H351	
	Skin Corr. 1B, H314	
	Skin Sens. 1, H317	

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

(Contd. on page 4)

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

(Contd. of page 3)

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Strong caustic effect on skin and mucous membranes.

· Hazards

Danger of gastric perforation.

Danger of severe eye injury.

4.3 Indication of any immediate medical attention and special treatment needed

Contains formaldehyde. May produce an allergic reaction.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Use limestone to neutralize and absorb spill.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

(Contd. of page 4)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

When diluting always pour product into water and not vice versa.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters

7664-93-9 su	Iphuric acid	
IOELV (EU)	Long-term value: 0,05 mg/m³	
PEL (USA)	Long-term value: 1 mg/m³	
REL (USA)	Long-term value: 1 mg/m³	
TLV (USA)	Long-term value: 0,2* mg/m³ *as thoracic fraction	
EL (Canada)	Long-term value: 0,2 mg/m³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0,2 mg/m³	
50-00-0 form	aldehyde	
PEL (USA)	Short-term value: 2 ppm Long-term value: 0,75 ppm see 29 CFR 1910,1048(c)	
REL (USA)	Long-term value: 0,016 ppm Ceiling limit: 0,1* ppm *15-min; See Pocket Guide App. A	

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

		(Contd. of page 5)
TLV (USA)	Ceiling limit: 0,37 mg/m³, 0,3 ppm (SEN) NIC-DSEN; RSEN	
EL (Canada)	Long-term value: 0,3 ppm Ceiling limit: 1 ppm ACGIH A2; IARC 1; S	
EV (Canada)	Short-term value: 1,0 ppm	
Ceiling limit	1,5 ppm	

- DNELs No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:

Contact lenses should not be worn.



Safety glasses

· Body protection: Protective work clothing

(Contd. on page 7)

Revision: July 30, 2014 Printing date: July 30, 2014

Trade name: Test A

(Contd. of page 6)

· Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information. No further relevant information available.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:

Colour:

Liquid

Colourless Acrid

· Odour:

· Odour threshold:

Not determined.

· pH-value:

< 1.0

· Change in condition

Melting point/Melting range:

Boiling point/Boiling range:

Not Determined. Undetermined.

· Flash point:

Not applicable.

· Flammability (solid, gaseous):

Not applicable.

· Auto/Self-ignition temperature:

Not determined.

· Decomposition temperature:

Not determined.

· Self-igniting:

Product is not self-igniting.

· Danger of explosion:

Product does not present an explosion hazard.

· Explosion limits:

Lower:

Not determined.

Upper:

Not determined.

· Vapour pressure at 20 °C:

<0,01 hPa

· Density at 20 °C:

1,79 g/cm³

· Relative density

Not determined. Not determined.

· Vapour density

Not determined.

· Evaporation rate

· Solubility in / Miscibility with water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic:

Not determined.

Kinematic:

Not determined.

(Contd. on page 8)

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

· 9.2 Other information

No further relevant information available.

(Contd. of page 7)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Heating occurs when water is added.

When diluting, always add acid to water, never vice versa.

Toxic fumes may be released if heated above the decomposition point.

Reacts with alkali (lyes).

Corrosive action on metals.

Reacts with metals forming hydrogen.

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Sulphur oxides (SOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- LD/LC50 values relevant for classification:

50-00-0 formaldehyde

Oral LD50 >200 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Irritant

Danger through skin adsorption.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Toxic and/or corrosive effects may be delayed up to 48 hours.

Suspected of causing cancer.

- · Sensitisation: Sensitization possible by skin contact.
- · Repeated dose toxicity:

May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 9)

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

(Contd. of page 8)

Repeated exposures may result in skin and/or respiratory sensitivity.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1A

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- · 14.1 UN-Number
- DOT, ADR, IMDG, IATA

UN1830

(Contd. on page 10)

(Contd. on page 11)

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

(Contd. of page 9) · 14.2 UN proper shipping name · DOT Sulfuric acid 1830 SULPHURIC ACID · ADR · IMDG, IATA SULPHURIC ACID · 14.3 Transport hazard class(es) DOT 8 Corrosive substances. · Class Label · ADR 8 (C1) Corrosive substances. · Class Label · IMDG, IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group DOT, ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Warning: Corrosive substances. Danger code (Kemler): F-A.S-B · EMS Number: Acids · Segregation groups · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category · Tunnel restriction code E

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

(Contd. of page 10)

· IMDG

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information		
· 15.1 Safety, health and environment · United States (USA) · SARA	al regulations/legislation specific for the substance or mixto	
Section 355 (extremely hazardous su	ubstances):	
All ingredients are listed.		
Section 313 (Specific toxic chemical	listings):	
All ingredients are listed.		
TSCA (Toxic Substances Control Ac	t):	
All ingredients are listed.		
Proposition 65 (California):		
Chemicals known to cause cancer:		
50-00-0 formaldehyde		
Chemicals known to cause reproduc	tive toxicity for females:	
None of the ingredients are listed.		
Chemicals known to cause reproduc	tive toxicity for males:	
None of the ingredients is listed.		
Chemicals known to cause developm	nental toxicity:	
None of the ingredients is listed.		
Carcinogenic Categories		
EPA (Environmental Protection Ager		
50-00-0 formaldehyde	E	
IARC (International Agency for Rese	arch on Cancer)	
7664-93-9 sulphuric acid		
50-00-0 formaldehyde		
TLV (Threshold Limit Value establish	ied by ACGIH)	
7664-93-9 sulphuric acid	F	
50-00-0 formaldehyde	ļ.	
NIOSH-Ca (National Institute for Occ	upational Safety and Health)	

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

Canada

(Contd. of page 11)

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

50-00-0 formaldehyde

· Canadian Ingredient Disclosure list (limit 1%)

7664-93-9 sulphuric acid

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R40 Limited evidence of a carcinogenic effect.
R43 May cause sensitisation by skin contact.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 13)

Printing date: July 30, 2014 Revision: July 30, 2014

Trade name: Test A

LD50: Lethal dose, 50 percent
Acute Tox. 3: Acute toxicity, Hazard Category 3
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Carc. 1A: Carcinogenicity, Hazard Category 1A
Carc. 2: Carcinogenicity, Hazard Category 2

· Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. of page 12)